

L Number	Hits	Search Text	DB	Time stamp
5	1423	711/4.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:03
6	6606	711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 13:04
7	1299	712/216-217.ccls. or 712/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:04
8	4716	(713/1-2.ccls. or 713/100.ccls. or 713/200.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:07
9	935	(707/9.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:10
10	6078	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3)near6 (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:38
11	4651	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3)near6 (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (@ad<=20000221 or @rlad<=20000221)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:17
12	2568	(associate near2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:18
13	50	((((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3)near6 (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (@ad<=20000221 or @rlad<=20000221)) and ((associate near2 table) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:22
14	214904	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3)near6 (value or bit or byte or number or flag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:15
15	24240	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:28

**BEST AVAILABLE COPY**

16	13237	(711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls. ) or (712/216-217.ccls. or 712/245.ccls. ) or ((713/1-2.ccls. or 713/100.ccls. or 713/200.ccls.) ) or ((707/9.ccls.) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:17
17	1616	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and ((711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls. ) or (712/216-217.ccls. or 712/245.ccls. ) or ((713/1-2.ccls. or 713/100.ccls. or 713/200.ccls.) ) or ((707/9.ccls.) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:17
18	1241	((((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and ((711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls. ) or (712/216-217.ccls. or 712/245.ccls. ) or ((713/1-2.ccls. or 713/100.ccls. or 713/200.ccls.) ) or ((707/9.ccls.) ))) and (@ad<=20000221 or @rlad<=20000221)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:21
19	533	((updat\$3 or writ\$3 or stor\$3) same ((advance or speculative) near5 (load or instruction)) same (alat or array or table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:18
20	1914433	(initial\$7 or (power adj2 (on or up)) or reset\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:20
21	73	((((updat\$3 or writ\$3 or stor\$3) same ((advance or speculative) near5 (load or instruction)) same (alat or array or table)) ) same ((initial\$7 or (power adj2 (on or up)) or reset\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:20
22	56	((((updat\$3 or writ\$3 or stor\$3) same ((advance or speculative) near5 (load or instruction)) same (alat or array or table)) ) same ((initial\$7 or (power adj2 (on or up)) or reset\$4))) and (@ad<=20000221 or @rlad<=20000221)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:40

BEST AVAILABLE COPY

23	21	(((((updat\$3 or writ\$3 or stor\$3) same ((advance or speculative) near5 (load or instruction)) same (alat or array or table) ) same ((initial\$7 or (power adj2 (on or up) or reset\$4))) and (@ad<=20000221 or @rlad<=20000221)) and ((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag) ) same (match\$3 or access\$3) same (table or entry or line or area or region) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:21
24	2310	((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:40
25	1768	(((((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) ) ) and (@ad<=20000221 or @rlad<=20000221)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:21
26	635	365/195.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 12:42
27	6	(((((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) ) ) and (@ad<=20000221 or @rlad<=20000221) and 365/195.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 13:03
28	171	(((((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) ) ) and (@ad<=20000221 or @rlad<=20000221) and (711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 15:16
29	11	(((((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) ) ) and (@ad<=20000221 or @rlad<=20000221) and (712/216-217.ccls. or 712/245.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 15:23
30	31	(((((inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) near6 (value or bit or byte or number or flag) ) same ((match\$3 or access\$3 or compar\$3) with (table or entry or area or region) ) ) and (@ad<=20000221 or @rlad<=20000221) and ((713/1-2.ccls. or 713/100.ccls. or 713/200.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 15:47
31	28	hannum-david\$.in. or bhatia-rohit\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 15:48

**BEST AVAILABLE COPY**

32	3	(hannum-david\$.in. or bhatia-rohit\$.in. ) and (((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:19
33	371	(initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:32
34	242	((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad<=20000221 or @rlad<=20000221)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:21
35	6962	(fully near5 associat\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:22
36	2	((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad<=20000221 or @rlad<=20000221)) and ((fully near5 associat\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:22
37	100	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad<=20000221 or @rlad<=20000221))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:29
38	269	(initial\$7 or (power adj2 (on or up))) same invalid same entry same cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:33
39	69	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad<=20000221 or @rlad<=20000221)) and ((initial\$7 or (power adj2 (on or up))) same invalid same entry same cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:42
40	22	((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad<=20000221 or @rlad<=20000221)) and ((initial\$7 or (power adj2 (on or up))) same invalid same entry same cache)) and (711/5.ccls. or 711/128.ccls. or 711/159.ccls. or 711/210.ccls. or 711/163.ccls. or 711/144-145.ccls. or 711/137.ccls. or 711/204.ccls. or 711/133-134.ccls. or 711/3.ccls. or 711/221.ccls. or 711/216.ccls. or 711/205-207.ccls. or 711/166.ccls. or 711/108.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:54

**BEST AVAILABLE COPY**

41	4	<pre> ((((protect\$4 or privilag\$4 or inhibit\$3 or prohibit\$3 or prevent or disabl\$3 or illegal or lock\$3) same (value or bit or byte or number or flag)) same (match\$3 or access\$3)same (table or entry or line or area or region) ) and (((initial\$7 or (power adj2 (on or up)) or reset\$4) same invalid same entry same cache) and (@ad&lt;=20000221 or @rlad&lt;=20000221))) and ((initial\$7 or (power adj2 (on or up))) same invalid same entry same cache)) and ((712/216-217.ccls. or 712/245.ccls. ) or ((713/1-2.ccls. or 713/100.ccls. or 713/200.ccls.) )) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:54
----	---	--	---	------------------

BEST AVAILABLE COPY